

Report No.

Product : INDOOR COLUMN SPEAKER

Model : CS-410

Purpose of Use: Report Date

Test Result

1) Common Information

	Criteria -	Test Result		
		Sample 1	Sample 2	Sample 3
Materials	Fine	Satisfied	Satisfied	Satisfied
Structure	Fine	Satisfied	Satisfied	Satisfied
Parts & Components	Fine	Satisfied	Satisfied	Satisfied

2) Electrical Information

TESTING CONTENT	SPECIFICATION	Test Result		
		Sample 1	Sample 2	Sample 3
Rated Output Power	10W	10	10	10
Frequency Response	100Hz ~ 15KHz	Satisfied	Satisfied	Satisfied
Impedance	1kΩ	1005	1008	1009
	2kΩ	2005	2010	2004
Sound Pressure	89dB	89	91	90
Dimension	152(W) × 253(H) × 100(D)	Satisfied	Satisfied	Satisfied
Weight	1.6kg	Satisfied	Satisfied	Satisfied

^{*} This is to certify that sample submitted by client above has been tested.

INSPECTED BY Y. S. KIM

CHECKED BY J. G. WON

PASCOM Co., Ltd. Quality Management Department APPROVED BY Y. S. LEE

^{*} This report should only be used for the purpose of use above and is valid for 90 days from date of issue.



Report No.

Product : INDOOR COLUMN SPEAKER

Model : CS-420

Purpose of Use: Report Date

Test Result

1) Common Information

	Criteria -	Test Result		
		Sample 1	Sample 2	Sample 3
Materials	Fine	Satisfied	Satisfied	Satisfied
Structure	Fine	Satisfied	Satisfied	Satisfied
Parts & Components	Fine	Satisfied	Satisfied	Satisfied

2) Electrical Information

TESTING CONTENT	SPECIFICATION	Test Result		
		Sample 1	Sample 2	Sample 3
Rated Output Power	20W	20	20	20
Frequency Response	100Hz ~ 15KHz	Satisfied	Satisfied	Satisfied
Impedance	500Ω	501	500	500
	1kΩ	1001	1002	1002
Sound Pressure	90dB	91	90	90
Dimension	152(W) × 373(H) × 100(D)	Satisfied	Satisfied	Satisfied
Weight	2.5kg	Satisfied	Satisfied	Satisfied

^{*} This is to certify that sample submitted by client above has been tested.

INSPECTED BY Y. S. KIM

CHECKED BY J. G. WON

PASCOM Co., Ltd. Quality Management Department APPROVED BY Y. S. LEE

^{*} This report should only be used for the purpose of use above and is valid for 90 days from date of issue.



Report No.

Product : INDOOR COLUMN SPEAKER

Model : CS-430

Purpose of Use: Report Date

Test Result

1) Common Information

	Criteria -	Test Result		
		Sample 1	Sample 2	Sample 3
Materials	Fine	Satisfied	Satisfied	Satisfied
Structure	Fine	Satisfied	Satisfied	Satisfied
Parts & Components	Fine	Satisfied	Satisfied	Satisfied

2) Electrical Information

TESTING CONTENT	SPECIFICATION	Test Result		
		Sample 1	Sample 2	Sample 3
Rated Output Power	30W	30	30	30
Frequency Response	100Hz ~ 15KHz	Satisfied	Satisfied	Satisfied
Impedance	333Ω	332	335	336
	666Ω	668	666	665
Sound Pressure	90dB	92	90	91
Dimension	152(W) × 493(H) × 100(D)	Satisfied	Satisfied	Satisfied
Weight	3.3kg	Satisfied	Satisfied	Satisfied

^{*} This is to certify that sample submitted by client above has been tested.

INSPECTED BY Y. S. KIM

CHECKED BY J. G. WON

PASCOM Co., Ltd. Quality Management Department APPROVED BY Y. S. LEE

^{*} This report should only be used for the purpose of use above and is valid for 90 days from date of issue.



Report No. :

Product : INDOOR COLUMN SPEAKER

Model : CS-440

Purpose of Use :
Report Date :

Test Result

1) Common Information

	Criteria -	Test Result		
		Sample 1	Sample 2	Sample 3
Materials	Fine	Satisfied	Satisfied	Satisfied
Structure	Fine	Satisfied	Satisfied	Satisfied
Parts & Components	Fine	Satisfied	Satisfied	Satisfied

2) Electrical Information

TESTING CONTENT	SPECIFICATION	Test Result			
		Sample 1	Sample 2	Sample 3	
Rated Output Power	40W	40	40	40	
Frequency Response	100Hz ~ 15KHz	Satisfied	Satisfied	Satisfied	
Impedance	250Ω	250	251	250	
	500Ω	500	500	501	
Sound Pressure	93dB	93	93	93	
Dimension	152(W) × 613(H) × 100(D)	Satisfied	Satisfied	Satisfied	
Weight	3.3kg	Satisfied	Satisfied	Satisfied	

^{*} This is to certify that sample submitted by client above has been tested.

INSPECTED BY Y. S. KIM

CHECKED BY $\it J. G. WON$

PASCOM Co., Ltd. Quality Management Department

APPROVED BY Y. S. LEE

^{**} This report should only be used for the purpose of use above and is valid for 90 days from date of issue.